

How to Download and Set Up Zapier Application with Translate.com

1. Visit the Zapier Website

1.1. Follow the link https://zapier.com/app/login

1.2. Click on "Sign Up" in the top-right corner. You can sign up with your Google or Microsoft account, or you can create an account using your email and password.

2. Explore the Dashboard

+ Create		🐟 What would you like to automate? 📴		
首 Home		The more details, the better.		⊳
Discover		Example: When I add a reaction to a Slack message, create a card in Trello.		
Zaps				
Tables		ently updated		All recently updated
Chatbots	Beta	Untitled Zap		ff Published 3 months ago
Canvas	Beta	Untitled Zap		ff Published 3 months ago
# Apps		Untitled Zap		ff Published 3 months ago
) Zap History		Untitled Zap	🕅 Tx 📄	ff Published 3 months ago
•• More		Untitled Zap	🕅 T ₂ 📄	Published 3 months ago
Free Plan		ay be delayed by 5 minutes		
asks	0 / 100			
aps	Unlimited	t from a template		Активация Windows Чтобы активировать Windows, перей
Jsage resets in 2 weeks		popular Trending this week Top by role Browse all templates		"Параметры".

2.1. Once you're logged in, you'll be directed to the Zapier dashboard, where you can create "Zaps" (automation between different apps).

3. Create Your First Zap

3.1. Click on "Create a Zap"

> Search	0,
My Zaps (default folder)	+ Create
□ ✓ Name	4 New Zap
🗄 🔲 📧 🖿 Untitled Zap	ABI 20, 2024



3.2. Choose a Trigger App (the app that starts the automation) and set the event.



3.3. Zapier supports thousands of apps, making it a multi-tool for integrating across different platforms



4. Choose an Action App (Translate.com (1.0.1)).

For the action, select Translate.com (1.0.1) as the app to connect your target with and initiate the translation process.

4.1. Click on the "**Action App**" field and choose <u>**Translate.com (1.0.1)**</u> from the list of available options.



,O translate.com	×	Browse all IZ
Tx Translate.com		^
Translate.com (1.0.1)		
Translate.com (1.0.0)		

4.2. For an "**Action event**," choose a machine or human translation. The "Account" tab will fill automatically. Once you've completed the setup, proceed to the Configure section.

	Publis
+	Tx 2. Select the event ∕
n (1.0.1)	Setup 🔿 Y Test 🕖
	App *
	Tx Translate.com (1.0.1) Invite Only Change
+	Action event *
O Search events	Choose an event
	Account *
CREATE Human Translation Create human translation order.	Translate.com (1.0.1) Change Used in 6 Zaps ••••••••••••••••••••••••••••••••••••
Machine Translation Get machine translation.	Translate.com (1.0.1) is a secure partner with Zapier. <u>Your credentials are encrypted and can be removed at any time</u> . You can <u>manage all of your connected accounts here</u> .



	K7 V
Setup 🔮 👌 Configure 🛇 👌 Test 🛇	\$ 5 0
Source language *	
English	≎ :
Translation language *	
Spanish	0
Text to translate	
1. Title: Untitled Page	+

4.3. Select the source and target languages for the translation. For the text, click the + icon and choose the trigger you previously set up. After, proceed to the Test section.

4.4.	Push	a Te	st b	utton,	and	after	the	text
is tra	anslate	ed pu	ish a	Publis	h bu	tton		

2. Machine Translation	×					
Setup 🛛 👌 Configure 🖉 👌 Test 🖉						
→ Tx Send MT to Translate.com (1.0.1) We'll use this as a sample for setting up the rest of your Zap.	^					
A MT was sent to Translate.com (1.0.1) about 1 second ago						
Data in Data out						
,O Bearch item data						
Translation Página sin título						
Limit Used 13 Limit Remaining 987	-					
Retest step Publish						



5. Choose an Action App (the app that takes action after the translation) and set the event.

5.1. Choose the Action App:

After the trigger and the translation are set, choose an app where the action will occur (e.g., add the translation to a Google Sheet/Document, etc.).

5.2. Choose Action Event:

Select the specific action that should happen (e.g., add a new document/spreadsheet row, etc.).

5.3. Customize the Action:

Set up how the action should be performed based on the data from the trigger (e.g., in a Google Sheets action, specify the exact columns for new data to be inserted.

5.4. Test the Action:

Zapier allows you to send test data to ensure that the action is working as intended. You can then check your connected apps to verify the results.

6. Turn On the Zap

6.1. Turn on Your Zap:

Once everything is set up and tested, click "Turn on Zap" to activate your

My Zaps (default folder)						Create
] ~	,	Name	Last edit	Running	
H			Untitled Zap	Just now	Zap is on.	>
H			Untitled Zap	авг 20, 202	4 Off	>